

BL and BH samples

**NPL Environmental Radioactivity Proficiency Test
Exercise 2007 Workshop**

Arvic Harms

19 September 2007

- 6 nuclides:

^3H , ^{55}Fe , ^{63}Ni , ^{89}Sr , ^{90}Sr , and ^{99}Tc
gross beta (i.e., ^{89}Sr , ^{90}Sr and ^{90}Y)

- Two concentration levels:

BL 1 – 20 Bq kg⁻¹

BH 1 – 20 Bq g⁻¹

BL and BH composition

	BL (Bq kg ⁻¹)	BH (Bq g ⁻¹)
³ H	8.15(6)	2.727(19)
⁵⁵ Fe	10.42(18)	5.55(10)
⁶³ Ni	8.6(4)	9.8(4)
⁸⁹ Sr	15.90(10)	6.67(4)
⁹⁰ Sr	13.37(3)	17.06(3)
⁹⁹ Tc	16.45(4)	6.501(15)
gross beta	43(5)	40.8(19)

- (i) Zeta test
pass if $\text{Abs}(\text{zeta}) \leq 2.58$

$$\zeta = \frac{L - N}{\sqrt{u_L^2 + u_N^2}}$$

- (ii) R_L outlier test
pass if not a Dixon outlier

$$R_L = \frac{u_L}{L}$$

- (iii) z test
pass if $\text{Abs}(\text{z test}) \leq 2.58$

$$z = \frac{L - N}{R_{\text{med}} N}$$

R_{med} = median of participants relative uncertainties (generally between 5% and 10%)


Zeta test	R_L test	z test	
pass	pass	pass	'In agreement'
pass	fail	pass	'Questionable' (a)
fail	pass/fail	pass	'Questionable' (b)
pass	pass/fail	fail	'Questionable' (c)
fail	pass/fail	fail	'Discrepant'

(a) Result close to NPL but unacceptable large uncertainty


(b) Result close to NPL but uncertainty is too small to pass zeta test

(c) Result not close to NPL but large uncertainty results in passing the zeta test


Deviation (%)




Deviation H-3 BL (%)




Deviation H-3 BH (%)




Deviation Fe-55 BL (%)




Deviation Fe-55 BH (%)




Deviation Ni-63 BL (%)




Deviation Ni-63 BH (%)




Deviation Sr-89 BL (%)




Deviation Sr-89 BH (%)




Deviation Sr-90 BL (%)




Deviation Sr-90 BH (%)




Deviation Tc-99 BL (%)




Deviation Tc-99 BH (%)



Deviation gross beta BL (%)



Deviation gross beta BH (%)



BL and BH results in agreement

	BL (%)	BH (%)
^3H	47	75
^{55}Fe	100	57
^{63}Ni	50	50
^{89}Sr	67	50
^{90}Sr	69	47
^{99}Tc	67	71
gross beta	100	50

Results

64%

'in agreement'

16%

'questionable'

20%

'discrepant'

Problematic nuclides:

^3H and ^{63}Ni

Less problematic:

^{55}Fe , ^{89}Sr , ^{90}Sr , ^{99}Tc

Results

59%

'in agreement'

13%

'questionable'

28%

'discrepant'


Problematic nuclides:

^{63}Ni , ^{89}Sr and ^{90}Sr


Less problematic:

^3H , ^{55}Fe and ^{99}Tc

Mean deviation (%) with 99% conf. interval



Median deviation (%) with 99% conf. interval



Thank you