

GL and GH samples

**NPL Environmental Radioactivity Proficiency Test
Exercise 2007 Workshop**

Arvic Harms

19 September 2007

- 10 nuclides:

^{60}Co , ^{95}Zr , ^{95}Nb , ^{125}Sb , ^{133}Ba , ^{134}Cs , ^{137}Cs , ^{144}Ce , ^{152}Eu
and ^{155}Eu

- Two concentration levels:

GL 1 – 20 Bq kg⁻¹

GH 1 – 20 Bq g⁻¹

GL and GH composition

| | GL (Bq kg ⁻¹) | GH (Bq g ⁻¹) |
|-------------------|---------------------------|--------------------------|
| ⁶⁰ Co | 11.72(4) | 16.32(5) |
| ⁹⁵ Zr | 4.21(5) | 6.82(8) |
| ⁹⁵ Nb | 7.38(12) | 11.94(19) |
| ¹²⁵ Sb | 13.43(7) | 17.23(8) |
| ¹³³ Ba | 4.15(3) | 4.07(3) |
| ¹³⁴ Cs | 4.07(3) | 1.160(8) |
| ¹³⁷ Cs | 8.84(6) | 3.68(3) |
| ¹⁴⁴ Ce | 14.80(10) | 7.50(6) |
| ¹⁵² Eu | 17.91(12) | 18.99(14) |
| ¹⁵⁵ Eu | 6.18(5) | 4.07(3) |

- (i) Zeta test
pass if $\text{Abs}(\text{zeta}) \leq 2.58$

$$\zeta = \frac{L - N}{\sqrt{u_L^2 + u_N^2}}$$

- (ii) R_L outlier test
pass if not a Dixon outlier

$$R_L = \frac{u_L}{L}$$

- (iii) z test
pass if $\text{Abs}(\text{z test}) \leq 2.58$

$$z = \frac{L - N}{R_{\text{med}} N}$$

R_{med} = median of participants relative uncertainties (generally between 5% and 10%)


| Zeta test | R_L test | z test | |
|-----------|------------|--------|--------------------|
| pass | pass | pass | 'In agreement' |
| pass | fail | pass | 'Questionable' (a) |
| fail | pass/fail | pass | 'Questionable' (b) |
| pass | pass/fail | fail | 'Questionable' (c) |
| fail | pass/fail | fail | 'Discrepant' |

(a) Result close to NPL but unacceptable large uncertainty


(b) Result close to NPL but uncertainty is too small to pass zeta test

(c) Result not close to NPL but large uncertainty results in passing the zeta test


Deviation (%)




Deviation Co-60 GL (%)




Deviation Co-60 GH (%)




Deviation Zr-95 GL (%)




Deviation Zr-95 GH (%)



Deviation Nb-95 GL (%)



Deviation Nb-95 GL



Nb-95 decay correction

Half-life Nb-95 = 34.991(6) d

Half-life Zr-95 = 64.032(6) d


At the reference time (1 April 2007 12:00 GMT), the Nb-95 / Zr-95 ratio was **1.752(15)**

The equilibrium value of this ratio is 2.206 (at this point Nb-95 decays with a Zr-95 half-life)


During the Exercise, Nb-95 decayed “slower” than Zr-95!

The “effective Nb-95 half-life” is a function of time


Nb-95 / Zr-95 ratio




Nb-95 half-life between 1 April 2007 and 1 July 2007




Deviation Nb-95 GH (%)




Kiri plot Nb-95 GH




Kiri plot Nb-95 GH




Deviation Sb-125 GL (%)




Deviation Sb-125 GH (%)




Deviation Ba-133 GL (%)




Deviation Ba-133 GH (%)




Deviation Cs-134 GL (%)




Deviation Cs-134 GH (%)




Deviation Cs-137 GL (%)




Deviation Cs-137 GH (%)




Deviation Ce-144 GL (%)




Deviation Ce-144 GH (%)




Deviation Eu-152 GL (%)




Deviation Eu-152 GH (%)



Deviation Eu-155 GL (%)



Deviation Eu-155 GH (%)



GL and GH results in agreement

| | GL (%) | GH (%) |
|-------------------|--------|--------|
| ^{60}Co | 82 | 85 |
| ^{95}Zr | 62 | 74 |
| ^{95}Nb | 29 | 46 |
| ^{125}Sb | 78 | 85 |
| ^{133}Ba | 73 | 77 |
| ^{134}Cs | 71 | 64 |
| ^{137}Cs | 89 | 79 |
| ^{144}Ce | 78 | 85 |
| ^{152}Eu | 64 | 77 |
| ^{155}Eu | 80 | 64 |

Results

| | |
|-----|----------------|
| 71% | 'in agreement' |
| 14% | 'questionable' |
| 10% | 'discrepant' |
| 6% | 'missing' |

Problematic nuclides: ^{95}Zr , ^{95}Nb and ^{152}Eu

Less problematic: ^{60}Co , ^{125}Sb , ^{133}Ba , ^{134}Cs , ^{137}Cs , ^{144}Ce and ^{155}Eu

Results

| | |
|-----|----------------|
| 74% | 'in agreement' |
| 9% | 'questionable' |
| 9% | 'discrepant' |
| 8% | 'missing' |


Problematic nuclides: ^{95}Nb , ^{134}Cs and ^{155}Eu

Less problematic: ^{60}Co , ^{95}Zr , ^{125}Sb , ^{133}Ba , ^{137}Cs , ^{144}Cs and ^{152}Eu


False positive identifications

| | | |
|--------|---|--------|
| Na-22 | 2 | ? |
| Cr-51 | 3 | Sb-125 |
| Fe-59 | 1 | Eu-152 |
| Co-58 | 5 | Eu-152 |
| Zn-65 | 1 | ? |
| Cd-109 | 2 | Eu-155 |
| I-125 | 1 | Sb-125 |
| Am-241 | 3 | Eu-155 |


Mean deviation (%) with 99% conf. interval




Median deviation (%) with 99% conf. interval




Co-60 deviation between -20% and 20%




Zr-95 deviation between -20% and 20%




Nb-95 deviation between -20% and 20%




Sb-125 deviation between -20% and 20%




Ba-133 deviation between -20% and 20%




Cs-134 deviation between -20% and 20%




Cs-137 deviation between -20% and 20%




Ce-144 deviation between -20% and 20%



Eu-152 deviation between -20% and 20%



Eu-155 deviation between -20% and 20%



Thank you