

NATIONAL PHYSICAL LABORATORY
Time and Frequency Services
Time, Quantum & Electromagnetics Division
Teddington, Middx, United Kingdom TW11 0LW

Web site: www.npl.co.uk/time

N P L D R O I T W I C H B u l l e t i n

No.2011-01 January 2011

MJD	Date	UTC (NPL) -Droitwich(198 kHz) 12h UTC (microseconds)	UTC (NPL) -Droitwich(198 kHz) 15h UTC (microseconds)
55562	2011-01-01	-458.2	-458.2
55563	2011-01-02	-458.2	-458.3
55564	2011-01-03	-458.3	-458.2
55565	2011-01-04	-458.2	-458.3
55566	2011-01-05	-458.2	-458.2
55567	2011-01-06	-458.2	-458.2
55568	2011-01-07	-458.2	-458.2
55569	2011-01-08	-458.1	-458.1
55570	2011-01-09	-458.2	-458.2
55571	2011-01-10	-458.2	-458.1
55572	2011-01-11	-458.2	-458.2
55573	2011-01-12	-458.1	-458.0
55574	2011-01-13	-458.1	-458.1
55575	2011-01-14	-458.0	-458.1
55576	2011-01-15	-458.1	-458.1
55577	2011-01-16	-458.1	-458.1
55578	2011-01-17	-458.1	-458.1
55579	2011-01-18	-458.1	-458.2
55580	2011-01-19	-458.2	-458.2
55581	2011-01-20	-458.3	-458.2
55582	2011-01-21	-458.3	-458.3
55583	2011-01-22	-458.2	-458.2
55584	2011-01-23	-458.2	-458.2
55585	2011-01-24	-458.2	-458.2
55586	2011-01-25	-458.1	-458.1
55587	2011-01-26	-458.1	-458.1
55588	2011-01-27	-458.2	-458.2
55589	2011-01-28	-458.3	-458.3
55590	2011-01-29	-458.3	-458.3
55591	2011-01-30	-458.3	-458.3
55592	2011-01-31	-456.4 (b)	-456.4 (b)

(a) at least one interruption in received carrier since the previous reading
(b) at least one discontinuity in received phase since the previous reading
reading not available