

NATIONAL PHYSICAL LABORATORY
 Time and Frequency Services
 Division for Enabling Metrology
 Teddington, Middx, United Kingdom TW11 0LW

Telephone: 020 8943 6880
 Facsimile: 020 8943 6529
 E-mail: time@npl.co.uk

N P L D R O I T W I C H B u l l e t i n

No.05-02 February 2005

MJD kHz)	Date	UTC(NPL)-Droitwich(198 kHz)	UTC(NPL)-Droitwich(198
		12h UTC (microseconds)	15h UTC (microseconds)
53402	2005-02-01	167.9	167.9
53403	2005-02-02	167.9	167.9
53404	2005-02-03	167.9	168.0
53405	2005-02-04	168.0	168.0
53406	2005-02-05	168.0	168.0
53407	2005-02-06	168.1	168.1
53408	2005-02-07	168.2	168.2
53409	2005-02-08	168.3	168.3
53410	2005-02-09	168.3	168.3
53411	2005-02-10	168.4	168.4
53412	2005-02-11	168.4	168.4
53413	2005-02-12	168.4 (a)	168.5 (a)
53414	2005-02-13	168.4	168.5
53415	2005-02-14	168.5	168.5
53416	2005-02-15	168.6 (a)	168.6 (a)
53417	2005-02-16	168.6 (a)	168.6 (a)
53418	2005-02-17	168.6	168.6
53419	2005-02-18	168.7	168.7
53420	2005-02-19	168.6	168.6
53421	2005-02-20	168.6	168.6
53422	2005-02-21	168.7	168.7
53423	2005-02-22	168.7	168.7
53424	2005-02-23	168.7	168.7
53425	2005-02-24	168.7	168.7
53426	2005-02-25	168.7	168.7
53427	2005-02-26	168.7	168.7
53428	2005-02-27	168.7	168.7
53429	2005-02-28	168.6 (a)	168.6 (a)

(a) at least one interruption in received carrier since the previous reading

(b) at least one discontinuity in received phase since the previous reading

reading not available