

NATIONAL PHYSICAL LABORATORY
Time and Frequency Services
Division for Enabling Metrology
Teddington, Middx, United Kingdom TW11 0LW

Telephone: 020 8943 6880
Facsimile: 020 8943 6529
E-mail: time@npl.co.uk

N P L D R O I T W I C H B u l l e t i n

No.05-03 March 2005

MJD kHz)	Date	UTC(NPL)-Droitwich(198 kHz)	UTC(NPL)-Droitwich(198
		12h UTC (microseconds)	15h UTC (microseconds)
53430	2005-03-01	168.6	168.7
53431	2005-03-02	168.6	168.6
53432	2005-03-03	168.6	168.6
53433	2005-03-04	168.5	168.5
53434	2005-03-05	168.5	168.5
53435	2005-03-06	168.4	168.4
53436	2005-03-07	168.3	168.4
53437	2005-03-08	168.2	168.2
53438	2005-03-09	168.1	168.1
53439	2005-03-10	167.9	###
53440	2005-03-11	167.7 (a)	167.7 (a)
53441	2005-03-12	167.6	167.6
53442	2005-03-13	167.5	167.5
53443	2005-03-14	167.4	167.4
53444	2005-03-15	167.3	167.3
53445	2005-03-16	167.1	167.1
53446	2005-03-17	166.9	166.9
53447	2005-03-18	166.7	166.7
53448	2005-03-19	166.4	166.5
53449	2005-03-20	166.2	166.1
53450	2005-03-21	165.9	165.9
53451	2005-03-22	165.7	165.7
53452	2005-03-23	165.5	165.5
53453	2005-03-24	165.2	165.2
53454	2005-03-25	165.0	165.0
53455	2005-03-26	164.7	164.7
53456	2005-03-27	164.5	164.5
53457	2005-03-28	164.3	164.3
53458	2005-03-29	164.0	164.0
53459	2005-03-30	163.8	163.8
53460	2005-03-31	163.6	163.5

(a) at least one interruption in received carrier since the previous reading
(b) at least one discontinuity in received phase since the previous reading
reading not available