

NATIONAL PHYSICAL LABORATORY  
 Time and Frequency Services  
 Time, Quantum & Electromagnetics Division  
 Teddington, Middx, United Kingdom TW11 0LW

Web site: [www.npl.co.uk/time](http://www.npl.co.uk/time)

---

N P L      D R O I T W I C H      B u l l e t i n

---

No.2011-03      March 2011

MJD	Date	UTC (NPL) -Droitwich(198 kHz) 12h UTC (microseconds)	UTC (NPL) -Droitwich(198 kHz) 15h UTC (microseconds)
55621	2011-03-01	-456.6	-456.7
55622	2011-03-02	-456.6	-456.5
55623	2011-03-03	-458.6 (b)	-458.6 (b)
55624	2011-03-04	-458.6	-458.4
55625	2011-03-05	-458.6	-458.5
55626	2011-03-06	-458.5	-458.5
55627	2011-03-07	-458.4	-458.4
55628	2011-03-08	-458.3	-458.3
55629	2011-03-09	-458.3	-458.4
55630	2011-03-10	-458.3	-458.4
55631	2011-03-11	-458.4	-458.4
55632	2011-03-12	-458.3	-458.3
55633	2011-03-13	-458.4	-458.5
55634	2011-03-14	-458.4	-458.5
55635	2011-03-15	-458.3	-458.4
55636	2011-03-16	-458.5	-458.5
55637	2011-03-17	-458.6	-458.4
55638	2011-03-18	-458.7	-458.7
55639	2011-03-19	-458.4	-458.3
55640	2011-03-20	-458.3	-458.3
55641	2011-03-21	-458.2	-458.3
55642	2011-03-22	-458.1	-458.2
55643	2011-03-23	-458.1	-458.1
55644	2011-03-24	-458.1	-458.1
55645	2011-03-25	-458.1	-458.0
55646	2011-03-26	-458.3	-458.3
55647	2011-03-27	-458.2	-458.2
55648	2011-03-28	-458.2	-458.2
55649	2011-03-29	-458.2	-458.2
55650	2011-03-30	-458.3	-458.3
55651	2011-03-31	-458.2	-458.2

(a) at least one interruption in received carrier since the previous reading  
 (b) at least one discontinuity in received phase since the previous reading  
 #.# reading not available