

NATIONAL PHYSICAL LABORATORY  
Time and Frequency Services  
Division for Enabling Metrology  
Teddington, Middx, United Kingdom TW11 0LW

Telephone: 020 8943 6880  
Facsimile: 020 8943 6529  
E-mail: time@npl.co.uk

---

N P L      D R O I T W I C H      B u l l e t i n

---

No.06-04      April 2006

MJD	Date	UTC(NPL)-Droitwich(198 kHz) 12h UTC (microseconds)	UTC(NPL)-Droitwich(198 kHz) 15h UTC (microseconds)
53826	2006-04-01	-605.6	-605.1 (a)(b)
53827	2006-04-02	-602.8 (a)(b)	-602.4
53828	2006-04-03	-600.3	-599.9
53829	2006-04-04	-596.9 (b)	-596.2 (b)
53830	2006-04-05	-591.8	-591.2
53831	2006-04-06	-586.9	-586.2
53832	2006-04-07	-581.9	-581.2
53833	2006-04-08	-576.8	-576.2
53834	2006-04-09	-571.8	-571.2
53835	2006-04-10	-566.8	-566.2
53836	2006-04-11	-561.8	-561.2
53837	2006-04-12	-556.8	-556.1
53838	2006-04-13	-551.8	-551.2
53839	2006-04-14	-547.1	-546.6
53840	2006-04-15	-543.9	-543.5
53841	2006-04-16	-540.8	-540.4
53842	2006-04-17	-537.6	-537.2
53843	2006-04-18	-534.5	-534.0
53844	2006-04-19	-531.3	-530.9
53845	2006-04-20	-529.7	-529.6
53846	2006-04-21	-528.5	-528.3
53847	2006-04-22	-527.2	-526.9
53848	2006-04-23	-525.9	-525.8
53849	2006-04-24	-524.6	-524.4
53850	2006-04-25	-524.2	-524.1
53851	2006-04-26	-524.0	-523.9
53852	2006-04-27	-523.8	-523.7
53853	2006-04-28	-523.6	-523.5
53854	2006-04-29	-523.4	-523.3
53855	2006-04-30	-523.1	-523.1

(a) at least one interruption in received carrier since the previous reading

(b) at least one discontinuity in received phase since the previous reading

## reading not available