

NATIONAL PHYSICAL LABORATORY  
Time and Frequency Services  
Time, Quantum & Electromagnetics Division  
Teddington, Middx, United Kingdom TW11 0LW

Web site: [www.npl.co.uk/time](http://www.npl.co.uk/time)

---

N P L      D R O I T W I C H      B u l l e t i n

---

No.2011-04      April 2011

MJD	Date	UTC (NPL) -Droitwich(198 kHz) 12h UTC (microseconds)	UTC (NPL) -Droitwich(198 kHz) 15h UTC (microseconds)
55652	2011-04-01	-458.2	-458.1
55653	2011-04-02	-458.2	-458.1
55654	2011-04-03	-458.2	-458.2
55655	2011-04-04	-458.3	-458.2
55656	2011-04-05	-458.2	-458.1
55657	2011-04-06	-457.9	-457.8
55658	2011-04-07	-458.0	-457.8
55659	2011-04-08	-457.9	-457.8
55660	2011-04-09	-457.9	-457.9
55661	2011-04-10	-457.9	-457.9
55662	2011-04-11	-457.9	-458.1
55663	2011-04-12	-458.1	-458.0
55664	2011-04-13	-458.2	-458.1
55665	2011-04-14	-458.2	-458.0
55666	2011-04-15	-458.0	-458.0
55667	2011-04-16	-457.9	##
55668	2011-04-17	-458.0	-457.9
55669	2011-04-18	-458.0	-458.0
55670	2011-04-19	##	##
55671	2011-04-20	-457.9	-457.8
55672	2011-04-21	-457.9	-457.8
55673	2011-04-22	-457.8	-457.7
55674	2011-04-23	-457.8	-457.7
55675	2011-04-24	-457.9	-457.8
55676	2011-04-25	-458.0	-457.9
55677	2011-04-26	-458.1	-458.0
55678	2011-04-27	-458.0	-457.9
55679	2011-04-28	-458.1	-457.9
55680	2011-04-29	-458.1	-457.8
55681	2011-04-30	-458.0	-457.9

(a) at least one interruption in received carrier since the previous reading  
(b) at least one discontinuity in received phase since the previous reading  
## reading not available