

NATIONAL PHYSICAL LABORATORY
 Time and Frequency Services
 Time, Quantum & Electromagnetics Division
 Teddington, Middx, United Kingdom TW11 0LW

Web site: www.npl.co.uk/time

N P L D R O I T W I C H B u l l e t i n

No.2010-06 June 2010

MJD	Date	UTC(NPL)-Droitwich(198 kHz) 12h UTC (microseconds)	UTC(NPL)-Droitwich(198 kHz) 15h UTC (microseconds)
55348	2010-06-01	-459.7	-459.7
55349	2010-06-02	-459.6	-459.4
55350	2010-06-03	-459.5	-459.4
55351	2010-06-04	-459.4	-459.4
55352	2010-06-05	-459.5	-459.4
55353	2010-06-06	-459.5	-459.5
55354	2010-06-07	-459.5	-459.5
55355	2010-06-08	-459.6	-459.6
55356	2010-06-09	-459.6	-459.5
55357	2010-06-10	##	-459.6
55358	2010-06-11	-459.7	-459.6
55359	2010-06-12	-459.6	-459.6
55360	2010-06-13	-459.6	-459.5
55361	2010-06-14	-459.6	-459.6
55362	2010-06-15	-459.7	-459.5
55363	2010-06-16	-459.6	-459.5
55364	2010-06-17	-459.6	-459.4
55365	2010-06-18	-460.2	-460.2
55366	2010-06-19	-460.4	-460.3
55367	2010-06-20	-460.4	-460.3
55368	2010-06-21	-460.2	-460.1
55369	2010-06-22	##	##
55370	2010-06-23	-460.2	-460.0
55371	2010-06-24	-460.2	-460.1
55372	2010-06-25	-460.2	-460.1
55373	2010-06-26	-460.2	-460.1
55374	2010-06-27	-460.1	-460.0
55375	2010-06-28	-460.1	-460.0
55376	2010-06-29	-460.1	-460.0
55377	2010-06-30	-460.1	-460.0

(a) at least one interruption in received carrier since the previous reading
 (b) at least one discontinuity in received phase since the previous reading
 ## reading not available