

NATIONAL PHYSICAL LABORATORY  
Time and Frequency Services  
Division for Enabling Metrology  
Teddington, Middx, United Kingdom TW11 0LW

Telephone: 020 8943 6880  
Facsimile: 020 8943 6529  
E-mail: time@npl.co.uk

---

N P L      D R O I T W I C H      B u l l e t i n

---

No.05-08      August 2005

MJD	Date	UTC(NPL) -Droitwich(198 kHz)	UTC(NPL) -
	Droitwich(198 kHz)	12h UTC (microseconds)	15h UTC (microseconds)
53583	2005-08-01	166.9 (a)	167.1 (a)
53584	2005-08-02	168.1	168.3
53585	2005-08-03	169.2	169.4
53586	2005-08-04	170.5	170.7
53587	2005-08-05	171.7	171.8
53588	2005-08-06	172.9	173.1
53589	2005-08-07	174.2	174.4
53590	2005-08-08	175.5	175.7
53591	2005-08-09	176.7	176.9
53592	2005-08-10	177.8	178.0
53593	2005-08-11	178.9	179.1
53594	2005-08-12	179.9	180.1
53595	2005-08-13	181.2	181.3
53596	2005-08-14	182.3	182.5
53597	2005-08-15	183.5	183.8
53598	2005-08-16	184.7	185.0
53599	2005-08-17	185.9	186.0
53600	2005-08-18	186.8	187.0
53601	2005-08-19	187.8	187.9 (a)
53602	2005-08-20	188.9 (a)	189.1
53603	2005-08-21	190.2	190.4
53604	2005-08-22	191.2	191.4
53605	2005-08-23	192.4	192.6
53606	2005-08-24	193.6	193.8
53607	2005-08-25	195.0	195.2
53608	2005-08-26	196.5	196.7
53609	2005-08-27	198.0	198.1
53610	2005-08-28	199.3	199.6
53611	2005-08-29	200.6	200.9
53612	2005-08-30	201.9	202.1
53613	2005-08-31	203.0	203.2

(a) at least one interruption in received carrier since the previous reading

(b) at least one discontinuity in received phase since the previous reading

## reading not available