

NATIONAL PHYSICAL LABORATORY
Time and Frequency Services
Time, Quantum & Electromagnetics Division
Teddington, Middx, United Kingdom TW11 0LW

Telephone: 020 8943 6880
Facsimile: 020 8943 6458
E-mail: time@npl.co.uk

N P L D R O I T W I C H B u l l e t i n

No.2009-08 August 2009

MJD	Date	UTC (NPL) -Droitwich(198 kHz) 12h UTC (microseconds)	UTC (NPL) -Droitwich(198 kHz) 15h UTC (microseconds)
55044	2009-08-01	-462.6	-462.5
55045	2009-08-02	-462.5	-462.5
55046	2009-08-03	-462.5	-462.4
55047	2009-08-04	-462.6	-462.4
55048	2009-08-05	-462.5	-462.3
55049	2009-08-06	-462.4	-462.4
55050	2009-08-07	-462.6	-462.4
55051	2009-08-08	-462.4	-462.4
55052	2009-08-09	-462.4	-462.4
55053	2009-08-10	-462.6	-462.5
55054	2009-08-11	-462.5	-462.4
55055	2009-08-12	-462.5	-462.4
55056	2009-08-13	-462.6	-462.4
55057	2009-08-14	-462.5	-462.4
55058	2009-08-15	-462.5	-462.4
55059	2009-08-16	-462.5	-462.4
55060	2009-08-17	-462.5	-462.5
55061	2009-08-18	-462.5	-462.4
55062	2009-08-19	-462.4	-462.3
55063	2009-08-20	-462.6	-462.5
55064	2009-08-21	-462.7	-462.5
55065	2009-08-22	-462.6	-462.5
55066	2009-08-23	-462.5	-462.4
55067	2009-08-24	-462.6	-462.5
55068	2009-08-25	-462.5	-462.5
55069	2009-08-26	-462.5	-462.5
55070	2009-08-27	-462.5	-462.5
55071	2009-08-28	-462.7	-462.6
55072	2009-08-29	-462.6	-462.6
55073	2009-08-30	-462.6	-462.6
55074	2009-08-31	-462.5	-462.4

(a) at least one interruption in received carrier since the previous reading
(b) at least one discontinuity in received phase since the previous reading
reading not available