

NATIONAL PHYSICAL LABORATORY  
Time and Frequency Services  
Division for Enabling Metrology  
Teddington, Middx, United Kingdom TW11 0LW

Telephone: 020 8943 6880  
Facsimile: 020 8943 6529  
E-mail: time@npl.co.uk

---

N P L      D R O I T W I C H      B u l l e t i n

---

No.05-09      September 2005

MJD	Date	UTC(NPL) -Droitwich(198 kHz)	UTC(NPL) -
		12h UTC (microseconds)	15h UTC (microseconds)
53614	2005-09-01	204.0	204.2
53615	2005-09-02	205.3	205.5
53616	2005-09-03	206.7 (a)	206.9 (a)
53617	2005-09-04	##.# (a)	##.# (a)
53618	2005-09-05	209.0 (a)	209.1 (a)
53619	2005-09-06	210.2	210.3
53620	2005-09-07	211.4	211.7
53621	2005-09-08	212.7 (a)	212.9 (a)
53622	2005-09-09	213.9	214.1
53623	2005-09-10	215.1	215.3
53624	2005-09-11	216.4	216.6
53625	2005-09-12	217.8	218.0
53626	2005-09-13	219.1	219.4
53627	2005-09-14	220.4	220.6
53628	2005-09-15	221.7	221.8
53629	2005-09-16	222.9	223.1
53630	2005-09-17	224.3	224.6
53631	2005-09-18	225.8	226.0
53632	2005-09-19	227.1	227.3
53633	2005-09-20	228.4	228.6
53634	2005-09-21	230.0	230.2
53635	2005-09-22	231.5	231.8
53636	2005-09-23	233.1	233.3
53637	2005-09-24	234.8	235.0
53638	2005-09-25	236.6	236.8
53639	2005-09-26	238.3	238.5
53640	2005-09-27	240.0	240.2
53641	2005-09-28	241.6	241.9
53642	2005-09-29	243.4	243.7
53643	2005-09-30	245.2	245.4

(a) at least one interruption in received carrier since the previous reading  
(b) at least one discontinuity in received phase since the previous reading  
## reading not available