

NATIONAL PHYSICAL LABORATORY  
Time and Frequency Services  
Division for Enabling Metrology  
Teddington, Middx, United Kingdom TW11 0LW

Telephone: 020 8943 6880  
Facsimile: 020 8943 6529  
E-mail: time@npl.co.uk

---

N P L      D R O I T W I C H      B u l l e t i n

---

No.05-10      October 2005

MJD	Date	UTC (NPL) -Droitwich(198 kHz) 12h UTC (microseconds)	UTC (NPL) -Droitwich(198 kHz) 15h UTC (microseconds)
53644	2005-10-01	246.8	247.1
53645	2005-10-02	248.6	248.9
53646	2005-10-03	250.3	250.6
53647	2005-10-04	252.1 (a)	252.4 (a)
53648	2005-10-05	253.9	254.2
53649	2005-10-06	255.7	256.0
53650	2005-10-07	257.5	257.7 (a)
53651	2005-10-08	259.2 (a)	259.4
53652	2005-10-09	260.9	261.1
53653	2005-10-10	262.8	263.0
53654	2005-10-11	264.5	264.7
53655	2005-10-12	266.1	266.3
53656	2005-10-13	267.7	267.9
53657	2005-10-14	269.5	269.8
53658	2005-10-15	271.3	271.5
53659	2005-10-16	273.0	273.2
53660	2005-10-17	274.7	274.9
53661	2005-10-18	276.4	276.6
53662	2005-10-19	278.2	278.5
53663	2005-10-20	280.0 (a)	280.3 (a)
53664	2005-10-21	281.9	282.2
53665	2005-10-22	283.8	284.0
53666	2005-10-23	285.6	285.9
53667	2005-10-24	287.5	287.8
53668	2005-10-25	289.2	289.4
53669	2005-10-26	290.9 (a)	291.2 (a)
53670	2005-10-27	292.1	290.7
53671	2005-10-28	281.1	279.9
53672	2005-10-29	277.1	276.9
53673	2005-10-30	276.1	276.0
53674	2005-10-31	274.4	274.1

(a) at least one interruption in received carrier since the previous reading

(b) at least one discontinuity in received phase since the previous reading

## reading not available