

NATIONAL PHYSICAL LABORATORY
Time and Frequency Services
Time, Quantum & Electromagnetics Division
Teddington, Middx, United Kingdom TW11 0LW

Web site: www.npl.co.uk/time

N P L D R O I T W I C H B u l l e t i n

No.2010-10 October 2010

MJD	Date	UTC (NPL) -Droitwich(198 kHz) 12h UTC (microseconds)	UTC (NPL) -Droitwich(198 kHz) 15h UTC (microseconds)
55470	2010-10-01	-462.6	-462.5
55471	2010-10-02	-462.5	-462.6
55472	2010-10-03	-462.6	-462.4
55473	2010-10-04	-462.5	-462.4
55474	2010-10-05	-462.5	-462.4
55475	2010-10-06	-462.5	-462.4
55476	2010-10-07	-462.4	-462.4
55477	2010-10-08	-462.3	-462.3
55478	2010-10-09	-462.5	-462.4
55479	2010-10-10	-462.4	-462.3
55480	2010-10-11	-462.5	-462.4
55481	2010-10-12	-462.6	-462.5
55482	2010-10-13	-462.7	-462.7
55483	2010-10-14	-462.8	-462.6
55484	2010-10-15	-462.7	-462.6
55485	2010-10-16	-462.7	-462.7
55486	2010-10-17	-462.7	-462.6
55487	2010-10-18	-462.5	-462.5
55488	2010-10-19	-462.6	-462.5
55489	2010-10-20	-461.8	-461.8
55490	2010-10-21	-461.8	-461.7
55491	2010-10-22	-461.7	##
55492	2010-10-23	-461.7	-461.7
55493	2010-10-24	-461.8	-461.7
55494	2010-10-25	-461.7	-461.7
55495	2010-10-26	-461.9	-461.8
55496	2010-10-27	-461.7	-461.5
55497	2010-10-28	-461.7	-461.6
55498	2010-10-29	-461.7	-461.6
55499	2010-10-30	-461.6	-461.7
55500	2010-10-31	-461.8	-461.7

(a) at least one interruption in received carrier since the previous reading
(b) at least one discontinuity in received phase since the previous reading
reading not available