

NATIONAL PHYSICAL LABORATORY
 Time and Frequency Services
 Division for Enabling Metrology
 Teddington, Middx, United Kingdom TW11 0LW

Telephone: 020 8943 6880
 Facsimile: 020 8943 6529
 E-mail: time@npl.co.uk

N P L M S F B u l l e t i n

No.05-03 March 2005

MJD	Date	UTC(NPL)-MSF(60 kHz) 12h UTC (microseconds)
53430	2005-03-01	-27.3
53431	2005-03-02	-27.4
53432	2005-03-03	-27.3
53433	2005-03-04	-27.5
53434	2005-03-05	-27.6
53435	2005-03-06	-27.6
53436	2005-03-07	-27.8
53437	2005-03-08	-27.9
53438	2005-03-09	-28.0
53439	2005-03-10	-28.0
53440	2005-03-11	-28.1
53441	2005-03-12	-28.3
53442	2005-03-13	-28.4
53443	2005-03-14	-28.3
53444	2005-03-15	-28.4
53445	2005-03-16	-28.5
53446	2005-03-17	-28.5
53447	2005-03-18	-28.5
53448	2005-03-19	-28.6
53449	2005-03-20	-28.7
53450	2005-03-21	-28.9
53451	2005-03-22	-29.0
53452	2005-03-23	-29.2
53453	2005-03-24	-29.3
53454	2005-03-25	-29.3
53455	2005-03-26	-29.4
53456	2005-03-27	-29.5
53457	2005-03-28	-29.6
53458	2005-03-29	-29.8
53459	2005-03-30	-29.9
53460	2005-03-31	-29.9

(a) at least one interruption in received carrier since the previous reading
 (b) at least one discontinuity in received phase since the previous reading
 # reading not available